



INNOVA 0W30 A5/B5

INNOVA 0W30 A5/B5 is carefully designed to meet the demands of modern engines requiring lower viscosity and extended oil change intervals. Designed to maximise both short and long term engine performance, this advanced formula effectively reduces engine deposits, ensuring optimum efficiency and smooth running.

PERFORMANCE LEVEL

- ACEA: C2, A5/B5
- API: SP Resource Conserving
- BMW: LL-12 FE
- DTFR: 15D100
- FORD: WSS-M2C950-A
- ILSAC: GF-6A
- MB: 227.61
- MB: 229.61

APPLICATIONS

INNOVA 0W30 A5/B5 is suitable for a wide range of vehicles thanks to ACEA C2 and A5/B5 specifications. Especially recommended for the latest BMW and Ford petrol and diesel engines. Optimal formulation for today's cars with exceptional anti-wear film strength, providing fuel economy and reliability.

CHARACTERISTICS

Test	Unit	Average value
Density at 15°C	kg/l	0,841
Viscosity 40°C	mm ² /s	54,60
Viscosity 100°C	mm ² /s	10,00
Viscosity -35°C	mPas	5590
Viscosity index		172
Flash point COC	°C	222
Pour point	°C	-45
Total base number	mgKOH/g	8,3
Sulphated ash content	%	0,76

PACKAGING

- 1 Liter
- 4 Liters
- 5 Liters
- 20 Liters
- 60 Liters
- 208 Liters